

# Spatial Birth and Death Peer-to-Peer Point Processes

F. Baccelli

INRIA-ENS

Joint work with F. Mathieu and I. Norros

Stochastic Network Conference 2012, MIT

## STRUCTURE OF THE TALK

- 1. P2P Motivations**
- 2. Stochastic Model**
- 3. Dimensional Analysis**
- 4. Stochastic Analysis**
- 5. Simulation**
- 6. Design & Scaling**
- 7. Limitations**
- 8. Extensions**

# PEER-TO-PEER CONTENT DISTRIBUTION

## Content Distribution

### Common Features

- **Filesharing**
- **Streaming**
  - \* **OnDemand**
  - \* **Live**
- **Lot of stress on the network**
- **P2P solutions:**
  - large family of algorithms and implementations to cope with churn, load, latency...

## P2P STOCHASTIC MODELING

**State of the Art: Queuing Theory**  
[Yang and De Veciana 04], [Qiu and Srikant 04]

### Three main types of nodes

- **Servers: provide, don't scale up**
- **Leechers: need, provide**
- **Seeders: provide, scale**

### Assumptions

- **Access-limited**  
(physical/software)
- **No network limitation**
- **Poisson arrivals**

**This presentation: New models with network rate limitations**

## SPATIAL BIRTH AND DEATH STOCHASTIC MODEL

- Peers live in a **finite or infinite subset  $D$**  of the Euclidean plane  $\mathbb{R}^2$
- Natural extensions to
  - General metric spaces (semantic spaces) eg  $\mathbb{R}^d$ ;
  - Torus (approximation of the whole plane)
- Dynamics: **arrivals**
  - **Poisson rain**: new peers arrive according to a Poisson process with time space intensity  $\lambda dxdt$  on  $D \times \mathbb{R}$

SPATIAL BIRTH AND DEATH STOCHASTIC MODEL (continued)

**■ Dynamics: service**

- **Service requirement:** each peer  $p$  is born with an individual service requirement  $F_p > 0$  i.i.d. exponential with mean  $F$ .
- **Bit rate function:** two peers at locations  $x$  and  $y$  serve each other at rate  $f(\|x - y\|)$ , where  $f$  is the **bit rate function (BRF)**
- **Service rate:** the service rate of a peer at  $x$  in configuration  $\phi$  is

$$\mu(x, \phi) = \sum_{y \in \phi \setminus \{x\}} f(\|x - y\|).$$

- **Service completion:** for a system with state history  $\{\phi_t\}_t$ , a peer  $p$  born at point  $x_p$  at time  $t_p$  leaves at time

$$\tau_p = \inf \left\{ t > t_p : \int_{t_p}^t \mu(x_p, \phi_s) ds \geq F_p \right\}.$$

## SPATIAL BIRTH AND DEATH PROCESS

- $\mathcal{N}(D)$ : the space of counting measures in  $(D, \mathcal{D})$
- The state  $\phi_t$  at time  $t$  is a **Markov process** living in the space  $\mathcal{N}(D)$ :
  - a peer has **birth intensity  $\lambda$  at  $x$**
  - a peer located at  $x$  has **death intensity  $\mu(x, \phi_t)/F$**
- **Class of spatial birth-and-death process** with a death rate defined as a **shot-noise** of the configuration.

**SPATIAL BIRTH AND DEATH PROCESS** (continued)**■ Lemma**

If  $D$  is compact and  $f$  is bounded from below by a positive constant on some non-degenerate interval, then the Markov process  $\{\phi_t\}_t$  is ergodic for any birth rate  $\lambda > 0$ .

- **Proof by stochastic domination:**  $M/M/\infty$  queue that is modified so that a lone customer cannot leave.
- **Existence/uniqueness of stationary regimes in the infinite Euclidean plane** currently under investigation using
  - Extensions of the **Garcia & Kurtz** martingale method;
  - Coupling methods.
- **Non reversible Markov process**
- **non Gibbsian point process**



## EXAMPLES OF BRF: TCP

- **TCP model:**  $D$  is the Euclidean plane  $\mathbb{R}^2$  and

$$f(r) = \frac{C}{r} 1_{r \leq R}.$$

- **Justification:**

- peers use **TCP Reno**
- on the path between two peers, if the packet loss probability is  $p$  and the round trip time is  $\text{RTT}$ , then the rate obtained on this path is

$$\frac{\eta}{\text{RTT} \sqrt{p}}$$

with  $\eta \approx 1.309$  **square root formula**

- the  $\text{RTT}$  is proportional to distance  $r$
- only peers at distance less than  $R$  are retained.

EXAMPLES OF BRP: TCP (continued)

■ Variants

- **Affine RTT model:**  $\text{RTT} = ar + b$ , where  $a$  accounts for propagation delays in the Internet path and  $b$  for the mean access latency:

$$f(r) = \frac{C}{r + q} 1_{r \leq R}$$

- **Additional overhead cost:**  $c$  bits per second:

$$f(r) = \left( \frac{C}{r + q} - c \right)^+ 1_{r \leq R}$$

- **Upload (or Download) rate limitations:**

$$f(r) = \min \left( U, \left( \frac{C}{r + q} - c \right)^+ \right) 1_{r \leq R}$$

with  $U$  the individual rate limitation

## EXAMPLES OF BRF: UDP

### ■ UDP assumptions:

- $D$  is the Euclidean plane  $\mathbb{R}^2$
- only peers within distance  $R$  are retained
- peers use UDP with prescribed rate  $C$  regardless of distance

$$f(r) = C1_{r \leq R}.$$

## EXAMPLES OF BRF: WIRELESS SNR

- **SNR model:** the rate between a transmitter and its receiver at distance  $r$  is

$$f(r) = \frac{1}{2} \log \left( 1 + \frac{C}{r^\alpha} \right) \mathbb{1}_{r < R}$$

with

- $\alpha > 2$  the path loss exponent
  - $C$  the signal to noise power ratio at distance 1
  - $R$  the transmission range
- **Requirement:** all point-to-point channels are mutually orthogonal

## DEFAULT MODEL

- **Default option model throughout the talk:**

- $D$  is the Euclidean plane or a large torus
- **TCP Bit Rate Function:**

$$f(r) = \frac{C}{r} 1_{r < R}$$

- **+ comments on the other Bit Rate Functions**

## DIMENSIONAL ANALYSIS

### ■ 4 basic parameters:

- $R$  in meters (m),
- $F$  in bits,
- $\lambda$  in  $\text{m}^{-2}$  per second (s)
- $C$  in  $\text{bit}\cdot\text{m}\cdot\text{s}^{-1}$ .

### ■ $\pi$ -Theorem

In the TCP case, all system properties only depend on the parameter

$$\rho = \frac{\lambda F R^3}{C}.$$

### ■ Extension for more general $f$

**DIMENSIONAL ANALYSIS** (continued)**■ Sketch of proof**

– choose  $R$  as a new distance unit, then

\* the arrival intensity becomes  $l = \lambda R^2$

\* the download constant becomes  $c = C/R$

– now define  $F$  as an information unit, then

\* the download speed constant becomes  $c = C/(RF)$

– take a time unit such that the download speed constant is 1, then

\* all parameters are equal to 1

\* the arrival rate becomes  $l = \frac{\lambda F R^3}{C}$

**DIMENSIONAL ANALYSIS** (*continued*)**■ Terminology: Three cases**

- $\rho \gg 1$  is called **fluid**
- $\rho \ll 1$  is called **hard core**
- $\rho$  inbetween is called **intermediate**



## NOTATION

■ **In the steady state regime of the P2P dynamics:**

- $\beta_o$  the density of the peer point process
- $\mu_o$  the mean rate of a typical peer
- $W_o$  the mean latency of a typical peer
- $N_o$  the mean number of peers in a ball of radius  $R$  around a typical peer

**f-REPULSION****■ Theorem 1**

For all BRF  $f$ , in the stationary regime,

$$\mathbb{E}\left[\sum_{x_i \in \phi} f(\|x_i\|)\right] \geq \mathbb{E}_0\left[\sum_{x_i \in \phi \setminus 0} f(\|x_i\|)\right],$$

where  $\mathbb{P}_0$  is the Palm probability w.r.t.  $\Phi$ .

## SKETCH OF PROOF - TORUS

- $\Phi_t$ : state of the SBD at time  $t$ .
- $\Lambda_t$ : total rate

$$\Lambda_t = \sum_{X \in \Phi_t} A_t(X),$$

with, for all  $X \in \Phi_t$ :

$$A_t(X) = \sum_{Y \in \Phi_t, Y \neq X} f(\|X - Y\|)$$

SKETCH OF PROOF - TORUS (continued)

■ **Miyazawa rate conservation principle applied to  $\mathbb{A}_t$ :**

- $\mathbb{E}^\uparrow$ : (time) Palm probability of the SBD at birth epochs
- $\mathbb{E}^\downarrow$  at death epochs.

$$r^\uparrow \mathbb{E}^\uparrow(\mathcal{I}) = r^\downarrow \mathbb{E}^\downarrow(|\mathcal{D}|)$$

**with**

- $\mathcal{I} = \mathbb{A}_{0+} - \mathbb{A}_0$  the total rate increase,  $r^\uparrow$  the inc. intensity
- $\mathcal{D} = \mathbb{A}_{0+} - \mathbb{A}_0$  the total rate decrease,  $r^\downarrow$  the dec. intensity

**SKETCH OF PROOF - TORUS** (continued)

- Since  $r^\uparrow = r^\downarrow$ ,

$$\mathbb{E}^\uparrow(\mathcal{I}) = \mathbb{E}^\downarrow(\mathcal{D}).$$

- From PASTA

$$\mathbb{E}^\uparrow(\mathcal{I}) = 2\mathbb{E}(n_0) \frac{a}{|D|}.$$

with  $n_0$  the total population and

$$a = \int_T f(\|x\|) m(dx).$$

with  $T$  the torus of area  $|D|$ .

SKETCH OF PROOF - TORUS (continued)

- The (total) death point process admits a stochastic intensity w.r.t. the filtration  $\mathcal{F}_t = \sigma(\Phi_s, s \leq t)$  equal to  $\Lambda_t$ .
- From **Papangelou's theorem**  $\frac{d\mathbb{P}^\downarrow}{d\mathbb{P}} \Big|_{\mathcal{F}_{0-}} = \frac{\Lambda_0}{\mathbb{E}(\Lambda_0)}$ .
- Since the decrease (in state  $\Phi_{0-}$ ) is of magnitude  $A_0(X)$  (w.r.t.  $\Phi_{0-}$ ) with probability  $\frac{A_0(X)}{\Lambda_0}$  (w.r.t.  $\Phi_{0-}$ ),

$$\begin{aligned} \mathbb{E}^\downarrow(\mathcal{D}) &= 2\mathbb{E} \left( \frac{\Lambda_0}{\mathbb{E}(\Lambda_0)} \sum_{X \in \Phi_0} \frac{A_0(X)}{\Lambda_0} A_0(X) \right) = 2 \frac{\mathbb{E} \left( \sum_{X \in \Phi_0} (A_0(X))^2 \right)}{\mathbb{E} \left( \sum_{X \in \Phi_0} A_0(X) \right)} \\ &= 2 \frac{\mathbb{E}_0 \left( (A_0(0))^2 \right)}{\mathbb{E}_0 \left( A_0(0) \right)} \end{aligned}$$

**SKETCH OF PROOF - TORUS** (continued)

- **Miyazawa rate conservation principle for total rate:**

$$\mathbb{E}(n_0) \frac{a}{|D|} = \frac{\mathbb{E}_0((A_0(0))^2)}{\mathbb{E}_0(A_0(0))}.$$

- **Using the fact that**

$$\mathbb{E}_0((A_0(0))^2) \geq \mathbb{E}_0(A_0(0))^2,$$

**we get**

$$\mathbb{E}(n_0) \frac{a}{|D|} \geq \mathbb{E}_0(A_0(0)).$$

## FLUID MODEL

- **Fluid heuristic:** obtained when approximating the Palm expectation of the rate, namely the mean rate obtained by a typical user, by the mean rate at a typical location:

$$\mu_f = \beta_f 2\pi \int_{r=0}^R (C/r) r dr = \beta_f 2\pi C R.$$

with  $\beta_f$  the density of peers in this heuristic.



**FLUID MODEL** (continued)**■ Theorem 2**

**When  $\rho$  tends to infinity:**

**– The fluid heuristic is asymptotically tight:**

$$\beta_0 \rightarrow \beta_f, W_0 \rightarrow W_f, \mu_0 \rightarrow \mu_f \dots$$

**– The law of the latency of a typical peer converges weakly to an exponential random variable of parameter  $W_f = \frac{F}{\mu_f}$**

FLUID MODEL (continued)

■ In this heuristic/limit

$$\beta_f = \sqrt{\frac{\lambda F}{2\pi C R}},$$

$$\mu_f = \sqrt{\lambda F 2\pi C R},$$

$$W_f = \sqrt{\frac{F}{\lambda 2\pi C R}},$$

$$N_f = \sqrt{\frac{\pi}{2}} \sqrt{\frac{\lambda F R^3}{C}} = \sqrt{\frac{\pi}{2}} \sqrt{\rho}.$$

■ **Proof:**  $W_f = F/\mu_f$  and  $\beta_f = \lambda W_f$  (Little's law). Hence

$$\beta_f \mu_f = \lambda F \quad \Leftrightarrow \quad \beta_f \beta_f 2\pi C R = \lambda F$$

## COMMENTS ON FLUID REGIME

- $\rho$  is large when

- either the arrival intensity, or the file size, or the range are large
- or if the download speed constant  $C$  is small

- the time scale of a peer is  $W_f = \sqrt{F/(\lambda 2\pi C R)}$ .

If two peers are at a distance  $r_0$  such that

$$\frac{F}{\frac{C}{r_0}} \ll W_f = \sqrt{\frac{F}{\lambda 2\pi C R}} \Leftrightarrow r_0 \ll \sqrt{\frac{C}{2\pi \lambda F R}} = \frac{R}{\sqrt{2\pi \rho}},$$

then there is little chance to see these too peers in the steady state:  
**hard exclusion** below that scale.

- $r_0$  tends to 0 in configurations where  $\rho$  tends to infinity and  $R$  is fixed

## FLUID REGIME AS A BOUND

- In the TCP case, Theorem 1 is equivalent to saying that

$$\beta_0 2\pi C R \geq \mu_o.$$

- It follows from the relations  $W_o \geq F/\mu_o$  and  $\beta_o = \lambda W_o$  that

$$\beta_o \geq \lambda \frac{F}{\beta_0 2\pi C R}$$

**That is**

$$\beta_o \geq \beta_f = \sqrt{\frac{\lambda F}{\beta_0 2\pi C R}} \quad \text{and} \quad W_o \geq W_f$$

## HARD CORE REGIME

- A stationary point process is **hard-core** for balls of radius  $R$  if there are no other points in a ball of radius  $R$  centered on any point.
- **Conjecture 3** When  $\rho$  tends to 0,
  - the stationary peer point process tends to a hard-core point process for balls of radius  $R$  with intensity  $\beta_h$  and latency  $W_h$ :

$$\beta_h = \frac{1}{\pi R^2}, \quad W_h = \frac{1}{\lambda \pi R^2}.$$

- the cdf of the latency converges weakly to

$$1 - \frac{e^{-\frac{t}{2W_h}}}{2}, \quad t > 0.$$

**HARD CORE REGIME** *(continued)*

### Rationale

$$N_f \ll 1$$

$$\Downarrow$$

$$\sqrt{\frac{\lambda F R^3}{C}} \ll 1$$

$$\Downarrow$$

$$\sqrt{\frac{\lambda R C F^2 R^2}{F C^2}} \ll 1$$

$$\Downarrow$$

$$\frac{R F}{C} \ll \sqrt{\frac{F}{2\pi \lambda R C}} = W_f \leq W_o.$$

**The latency of two peers within range is negligible w.r.t. the mean latency**

## GLOBAL HEURISTIC

### ■ Global Heuristic:

– considers  $\hat{\mu}$ , the unique solution of

$$\hat{\mu}^2 = \mu_f^2 \left( 1 - \frac{C}{\hat{\mu}R} \ln \left( 1 + \frac{\hat{\mu}R}{C} \right) \right),$$

– then defines

$$\hat{\beta} = \lambda F / \hat{\mu}, \quad \hat{W}_h = F / \hat{\mu}.$$

GLOBAL HEURISTIC (continued)

- Factorization of the factorial moment measure of order 3
- Balance equation for the second order factorial moment density, which reads

$$2\beta_o\lambda = 2m_{[2]}(x, y) \frac{C}{F} \frac{1_{\|x-y\|\leq R}}{\|x-y\|} + \frac{C}{F} \int_D m_{[3]}(x, y, z) \left( \frac{1_{\|x-z\|\leq R}}{\|x-z\|} + \frac{1_{\|y-z\|\leq R}}{\|y-z\|} \right) dz,$$

for all  $x$  and  $y$ .

- Approximations:

$$m_{[3]}(x, y, z) \approx \frac{m_{[2]}(x, y)m_{[2]}(x, z)}{\beta_o}$$

$$m_{[3]}(x, y, z) \approx \frac{m_{[2]}(x, y)m_{[2]}(y, z)}{\beta_o}.$$



## GLOBAL HEURISTIC (continued)

■ Then

$$\begin{aligned} \beta_o \lambda &\approx m_{[2]}(x, y) \frac{C}{F} \frac{1_{\|x-y\| \leq R}}{\|x-y\|} \\ &+ m_{[2]}(x, y) \frac{C}{F} \frac{1}{2} \int_D \frac{1_{\|x-z\| \leq R}}{\|x-z\|} \frac{m_{[2]}(x, z)}{\beta_o} dz \\ &+ m_{[2]}(x, y) \frac{C}{F} \frac{1}{2} \int_D \frac{1_{\|y-z\| \leq R}}{\|y-z\|} \frac{m_{[2]}(y, z)}{\beta_o} dz, \end{aligned}$$

that is

$$m_{[2]}(x, y) \approx \lambda F \frac{\beta_o}{\frac{C 1_{\|x-y\| \leq R}}{\|x-y\|} + \mu_o}.$$

with  $\mu_o =: C \int_{B(0,R)} \frac{m_{[2]}(0,z)}{\beta_o} \frac{1}{\|z\|} dz$ .

GLOBAL HEURISTIC (continued)

**So**

$$\begin{aligned}\mu_o &\approx \lambda F 2\pi C \int_0^R \frac{1}{\mu_o + \frac{C}{r}} dr \\ &= \lambda F 2\pi C \left( \frac{R}{\mu_o} - \frac{C}{\mu_o^2} \ln\left(1 + \frac{\mu_o R}{C}\right) \right).\end{aligned}$$

**and**

$$\hat{\mu}^2 = \mu_f^2 \left( 1 - \frac{C}{\hat{\mu}R} \ln \left( 1 + \frac{\hat{\mu}R}{C} \right) \right),$$

**COMMENTS ON GLOBAL HEURISTIC**


$$\hat{\mu}^2 = \mu_f^2 \left( 1 - \frac{C}{\hat{\mu}R} \ln \left( 1 + \frac{\hat{\mu}R}{C} \right) \right),$$

- **When  $\hat{\mu}R/C$  tends to  $\infty$ , then it follows that  $\hat{\mu} \sim \mu_f$ , which is in line with Theorem 2.**
- **When  $\hat{\mu}R/C$  tends to 0, then, expanding the log substantiates Conjecture 3.**

## SIMULATION

- **Fix 3 independent parameters and use the 4-rth one to run through all possible scenarios.**
- **The two first fixed parameters are  $R = .1$  and  $C = 1$ .**
- **Set  $W_f$  to 100. This implies that for all simulations, the fluid model will predict the same mean latency.**
- **Then, we use  $N_f$  as the variable parameter: We use  $N_f$  instead of  $\rho$  as main dimensionless parameter**
- **The remaining input parameters of the system are then completely defined:**

$$\lambda = \frac{N_f}{\pi R^2 W_f}, \quad F = \frac{2N_f C W_f}{R}$$



## WIRELESS MODEL

- **Fluid regime for**  $f(r) = \frac{1}{2} \log \left( 1 + \frac{C}{r^\alpha} \right) 1_{r < R}$ ,  $\alpha = 4$ :

$$W_f = \sqrt{\frac{F}{\lambda C^{\frac{1}{2}}} \frac{1}{\sqrt{\pi}} \frac{1}{\sqrt{\frac{R^2}{\sqrt{C}} \log\left(1 + \frac{C}{R^4}\right) + \arctan\left(\frac{R^2}{\sqrt{C}}\right)}}$$

- **Fluid regime for**  $f(r) = \frac{1}{2} \log \left( 1 + \frac{C}{r^\alpha} \right)$ ,  $\alpha > 2$ :

$$W_f = \sqrt{\frac{F}{\lambda C^{\frac{2}{\alpha}}} \frac{\sqrt{2 \sin\left(\frac{2\pi}{\alpha}\right)}}{\pi}}$$

## DESIGN - TCP

- Dimensional analysis tells us that

$$\begin{aligned}
 W_o(\lambda, F, C, R) &= M \left( \sqrt{\frac{\pi \lambda F R^3}{2C}} \right) W_f(\lambda, F, C, R) \\
 &= M \left( \sqrt{\frac{\pi \lambda F R^3}{2C}} \right) \sqrt{\frac{F}{\lambda 2\pi C R}}
 \end{aligned}$$

where  $M$  only depends on  $N_f = \sqrt{\frac{\pi \lambda F R^3}{2C}}$  and is **decreasing**.

- $\lambda$  and  $R$  are both **win-win** parameters. As they increase, both terms in the RHS decrease and the mean latency hence tends towards 0, while the behavior of the system becomes more and more fluid.
- **Super Scalability !**

## SOME EXTENSIONS

- **Rate Limitations**

- **Adapting  $R$**

- **Upload**

- **Seeders**



## ADAPTING THE PEERING RADIUS

- **Mean Constant Number of Nearest Peers:** take as neighbors the peers in a ball with a radius  $R$  such that the mean number of other peers in the ball is  $L$  i.e.  $\pi R^2 \beta_o = L$ , where  $\beta_o$  is the (unknown) steady state intensity of the point process  $\phi_t$ . Then

$$f(r) = \frac{C}{r} 1_{r \leq R}, \quad R = \sqrt{\frac{L}{\pi \beta_o}}$$

- **General Case**

$$f(r) = \frac{C}{r} 1_{r \leq R}, \quad R = \kappa \beta_o^{-\alpha}$$

- **(DA) All system properties only depend on the parameter**

$$\rho = \frac{\lambda F}{C} \kappa^{\frac{3}{1-2\alpha}}.$$

ADAPTING THE PEERING RADIUS (continued)

- **Fluid:** in the general case  $\mu_f = 2\pi C\kappa\beta_f^{1-\alpha}$ , so that

$$\beta_f = \left( \frac{\lambda F}{2\pi C\kappa} \right)^{\frac{1}{2-\alpha}}$$

$$W_f = \lambda^{-\frac{1-\alpha}{2-\alpha}} F^{\frac{1}{2-\alpha}} (2\pi C\kappa)^{-\frac{1}{2-\alpha}}$$

$$\mu_f = (2\pi C\kappa)^{\frac{1}{2-\alpha}} (\lambda F)^{\frac{1-\alpha}{2-\alpha}}.$$

**This is obtained when choosing a radius of the form**

$$R = \kappa \left( \frac{\lambda F}{2\pi C\kappa} \right)^{\frac{\alpha}{\alpha-2}}.$$

- **For instance in the constant number of nearest peers case**

$$\beta_f = \frac{\left(\frac{\lambda F}{2C}\right)^{\frac{2}{3}}}{(\pi L)^{\frac{1}{3}}}, \quad \mu_f = (2C)^{\frac{2}{3}} (\lambda F \pi L)^{\frac{1}{3}}, \quad W_f = \frac{\left(\frac{F}{2C}\right)^{\frac{2}{3}}}{(\lambda \pi L)^{\frac{1}{3}}}.$$

## ASYMPTOTIC DESIGN

- **General  $\alpha$  case:**  $R = \kappa\beta^{-\alpha}$ .
- **think of all parameters fixed and let  $\lambda$  tend to infinity.**
  - $d = \frac{1}{2-\alpha}$  **the density exponent:**  $\beta$  is of the order  $\lambda^d$
  - $l = \frac{\alpha-1}{2-\alpha}$  **the latency exponent:**  $W$  is of the order  $\lambda^l$
  - $r = \alpha/(\alpha - 2)$  **the radius exponent:**  $r$  is of the order  $\lambda^r$
- **2 regimes, both compatible with fluid:**
  - For  $\alpha > 2$ , we get a peer density and a latency which both tend to 0 when  $\lambda$  tends to  $\infty$ : **Heaven's-flash**
  - For  $\alpha < \frac{1}{2}$ , we get a peer density that tends to infinity and a latency which tends to zero when  $\lambda$  tends to  $\infty$ : **swarm-flash**

## UPLOAD AND NETWORK LIMITATIONS

- $U$ : average upload capacity of a peer;
- The average rate in the fluid limit should be such that

$$\mu_f = \sqrt{\lambda F 2\pi C R} \leq U.$$

- A natural dimensioning rule: choose

$$R = \frac{U^2}{\lambda F 2\pi C}$$

in order to use all the available upload capacity and not more.

## SEEDERS

- When a leecher has obtained all its file, rather than leaving, it becomes a seeder and remains such for a duration  $T_S$
- Fluid limit with seeders

$$\mu_f = (\beta_f + \lambda T_S) 2\pi C R.$$

Using  $F = W_f \mu_f$  and  $\beta_f \mu_f = \lambda F$ , we get

$$W_f^2 + W_f T_S = W_{f_0}^2, \text{ with } W_{f_0} = \sqrt{\frac{F}{\lambda 2\pi C R}}.$$

The positive solution of this equation is

$$W_f = \sqrt{W_{f_0}^2 + \left(\frac{T_S}{2}\right)^2} - \frac{T_S}{2}.$$

## CONCLUSION

- **A new, non Gibbsian point process model with many open challenges**
  - Construction in the infinite plane
  - Hard core regime
- **Design implications**
  - **Laws of Super-Scalability** for future P2P
  - First understanding of the **assumptions for these laws to hold**
- **Future work**
  - **Chunk level model**
  - **Refined upload limitation**
  - **Wireless: Get rid of channel orthogonality assumptions**

**PREPRINT**

**<http://hal.inria.fr/inria-00615523/en>**